1. (6pts) Let A be the following  $2 \times 2$  matrix:

$$A = \left( \begin{array}{cc} 1 & 3 \\ 0 & 5 \end{array} \right)$$

Find all possible real numbers 
$$x$$
 such that

$$\det(A - xI) = 0$$

Here, I is the  $2\times 2$  identity matrix.

2. For the given matrix M

( 1	3	-2	4	5	
3	0	-6	7	$\begin{pmatrix} 5\\ -2 \end{pmatrix}$	
2	1	0	3	5	
$\begin{pmatrix} 2 \end{pmatrix}$	3	8	5	7)	

answer the two questions below.

a. (7pts) Find the reduced echelon form of M and a basis of Col M. Find m such that Col  $M \subset \mathbb{R}^m$  and compute dim Col M.

b. (5pts) Define  $M_l$  as the matrix obtained from M by deleting the 5th column of M. Find  $M_l^{-1}$  and det  $M_l$ .

3. Let A, B, C, and u be

$$A = \begin{pmatrix} 3 & 7 & -2 & 1 \\ 1 & 4 & 5 & 5 \\ 0 & 2 & 6 & 1 \end{pmatrix}, \quad B = \begin{pmatrix} 1 & 1 & 1 \\ 3 & 7 & 6 \end{pmatrix}, \quad C = \begin{pmatrix} 2 & 0 & -1 \\ 0 & 1 & -1 \end{pmatrix}, \quad u = \begin{pmatrix} 4 \\ -2 \\ 1 \\ -1 \end{pmatrix}$$

Compute the following :

a.(
$$3pts$$
)  $Au$ 

b.(3pts)  $A^T$ 

c.(4pts)  $BC^T$ 

- 4. Mark each statement True or False. Justify your answer precisely. (You can use any theorems or definitions you have learned in class or in the book. *Extra credit to those who answer all the true/false questions and justify them correctly.*)
  - a. (3pts) For a matrix A, there exists a unique echelon form of A.

b. (3pts) The rank of an  $m \times n$  matrix A is exactly same as the number of pivot columns of the reduced echelon form of A.

c. (3pts) Suppose that six vectors  $v_1, v_2, \dots, v_6$  satisfy :

 $\{v_1, v_2, v_3, v_4\}, \{v_3, v_4, v_5, v_6\}, \text{ and } \{v_5, v_6, v_1, v_2\} \text{ are linearly independent sets of vectors.}$ Then,  $\{v_1, v_2, v_3, v_4, v_5, v_6\}$  is a linearly independent set. d. (3pts) For every  $n \times n$  matrix A, Col A is a subspace of  $\mathbb{R}^n$ .

e. (3pts) There exist two  $3\times 3$  matrices A and B such that

 $\mathrm{Col}\ A\cup\mathrm{Col}\ B$ 

is a subspace of  $\mathbb{R}^3$ .

f. (3pts) For every  $3 \times 3$  matrix A,

Col  $A \neq$  Nul A.

5. Let  $\mathbb{P}_4$  be the set of all polynomials of degree at most 4. Define

$$S = \{ p(x) \in \mathbb{P}_4 : p(1) = 0 \}$$

a. (7pts) Show that S is a subspace of  $\mathbb{P}_4$ .

b. (7pts) Find a basis of S. What will dim S be?